Revision Date: 05/2015 Page 1 of 8

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: APF - Ace Power Flush

Product Use Description: Cleaning Agent

Restrictions on use: Do not use product for anything outside above specified uses

Distributor: Atlantic Chemical & Equipment Co. Inc.

3471 Atlanta Ind Pkwy - Ste 200

Atlanta, GA 30331 USA Phone: 1.800.929.2436

In case of emergency call: CHEMTREC 1.800-424-9300

SECTION 2. HAZARDS IDENTIFICATION

Product hazard category

Serious eye damage/eye irritation Specific target organ toxicity single exposure Category 2A Category 3

Label content

Pictogram



Signal word: Warning

Hazardous warnings: Causes serious eye irritation.

May cause respiratory irritation. May cause drowsiness or dizziness.

Hazardous prevention

measures:

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear eye protection/face protection.

IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container to an approved waste disposal plant.

Other hazards

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Prolonged skin contact may defat the skin and produce dermatitis. Misuse or intentional inhalation abuse may lead to death without warning.

Revision Date: 05/2015 Page 2 of 8

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

 Component:
 CAS#
 Concentration

 trans-Dichloroethylene
 156-60-5
 63% - 73%

 1,1,1,2,2,3,4,5,5,5-Decafluoropentane
 138495-42-8
 20% - 30%

 Ethanol
 64-17-5
 1% - 11%

SECTION 4. FIRST AID MEASURES

General advice: Never give anything by mouth to an unconscious person. Victim to lie

down in the recovery position, cover and keep him warm. Give oxygen or artificial respiration if needed. When symptoms persist or in all

cases of doubt seek medical advice.

Inhalation: Remove from exposure, lie down. Move to fresh air. Keep patient

warm and at rest. Artificial respiration and/or oxygen may be

necessary. Consult a physician

Skin Contact: Take off all contaminated clothing immediately. Wash off with warm

water.

Eye Contact: Hold eyelids apart and flush eyes with plenty of water for at least 15

minutes. Get medical attention. Remove contact lenses, if present and

easy to do. Continue rinsing.

Ingestion: Do not induce vomiting without medical advice. Never give anything

by mouth to an unconscious person. Drink 1 or 2 glasses of water. If

vomiting occurs, have victim lean forward to reduce the risk of

aspiration. Consult a physician.

Most important symptoms

Effects, acute & delayed: Dizziness

Protection of first-aiders: If potential for exposure exists refer to Section 8 for specific personal

protective equipment

Notes to physician: Do not give adrenaline or similar drugs.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water spray, water mist, dry chemical, carbon dioxide (CO2)

Unsuitable extinguishing

media:

No applicable data available.

Specific hazards: Fire or intense heat may cause violent rupture of packages. The

product is not flammable. Vapors may form flammable mixture with air. Hazardous combustion products: hydrogen fluoride, fluorinated hydrocarbons, carbonyl fluoride, carbon oxides, hydrogen chloride.

Revision Date: 05/2015 Page 3 of 8

SECTION 5. FIRE-FIGHTING MEASURES (continued)

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Wear neoprene gloves during cleaning up work after a fire. Exposure to decomposition products may be a

hazard to health.

Further information Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Evacuate personnel to safe areas. Cool containers with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Note: review Fire Fighting Measures and Handling (Personnel) sections before proceeding with clean-up. Use appropriate Personal Protective Equipment during clean-up.

Safeguards (Personnel) Evacuate personnel to safe areas. Ventilate area, especially low or

enclosed places where heavy vapors might collect. In case of insufficient ventilation, wear suitable respiratory equipment. Refer to

protective measures listed in sections 7 and 8

Environmental Precautions Prevent further leakage or spillage. Prevent spreading over a wide area

(e.g. by containment or oil barriers). Should not be released into the environment. Do not allow contact with soil, surface or ground water.

Spill Clean-Up Contain spillage, and then collect with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for

disposal according to local and national regulations (see section 13.)

Accidental Release Measures No applicable data available.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) Avoid contact with skin, eyes and clothing. Avoid breathing vapors or

mist. Provide sufficient air exchange and/or exhaust in work rooms. For personal protection see section 8. Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Do not breathe vapors or spray mist, Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after

handling the product.

Handling (Physical Aspects) Material should not be dispensed from its container by pouring, except

for small sample containers where fume hoods or where other ventilation is used to manage the exposure limits. The use of a drum

pump is recommended for dispensing from shipping containers.

Dust explosion class Not applicable

Storage Protect from contamination. Drainage facilities should be constructed for

containment of small spills. Keep container tightly closed in a dry and well ventilated place. Store in original container. Avoid freezing temperatures. If

stored below -10°C (14°F), mix prior to use.

Storage period No applicable data available.

Storage temperature < 52°C (< 126°F)

Revision Date: 05/2015 Page 4 of 8

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controlsUse with sufficient ventilation to keep employee exposure below

recommended limits.

Personal protective equipment

Respiratory protection For rescue and maintenance work in storage tanks use self-contained

breathing apparatus. Vapors are heavier than air and can cause

suffocation by reducing oxygen available for breathing.

Hand protection Material: solvent-resistant gloves

Eye protection Safety glasses with side-shields. Additionally wear a face shield where

the possibility exists for face contact due to splashing, spraying or

airborne contact with this material.

Skin and body protection: Protective suit

Exposure Guidelines Exposure Limit Values

trans-Dichloroethylene

PEL (OSHA) 200 ppm 790 mg/m3 8 hr. TWA

TLV (ACGIH) 200 ppm TWA

Ethanol

PEL (OSHA) 1,000 ppm 1,900 mg/m3 8 hr TWA

TLV (ACGIH) 1,000 ppm STEL

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form: liquid
Color: colorless
Odor: ether-like

Odor threshold: no applicable data available.

pH: neutral

Melting point/freezing point: Melting point/range <50°C (-58°F)

Boiling point/boiling range: Boiling point/boiling range 41.0°C (105.8°F) at 1,013 hPa Flash point: Method: Pensky-Martens closed cup PMCC – does not flash

No flash point was obtained, but the product may release

flammable vapour

Evaporation rate: No applicable data available Flammability (solid, gas): No applicable data available

Upper explosion limit: 13.5 vol% Lower explosion limit: 4.3 vol%

Vapor Pressure: 347.9 hPa at 25°C (77°F)

Vapor density: 3.7

Density: $1.26 \text{ g/cm} 3 \text{ at } 25^{\circ}\text{C} (77^{\circ}\text{F}) \text{ (as liquid)}$

Specific gravity: (Relative density) No applicable data available

Bulk density: No applicable data available

Water solubility: 3 g/l at 25° C (77° F), slightly soluble

Solubility(ies): No applicable data available

Partition coefficient: (n-octanol/water) No applicable data available

Auto-ignition temperature: No applicable data available Decomposition temperature: No applicable data available

Viscosity: 0.48 mPa.s

Revision Date: 05/2015 Page 5 of 8

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Stable at normal ambient temperature and pressure

Chemical stability: The product is chemically stable.

No decomposition if stored and applied as directed

Possibility of hazardous

reactions:

No applicable data available.

Conditions to avoid: Avoid open flames and high temperatures

Incompatible materials: Alkali metals, Alkaline earth metals, Powdered metals, Powdered metal

salts, nitrogen oxides (NOx) acids, bases & strong oxidizing agents, oxygen

Hazardous decomposition

products:

Hazardous decomposition products formed under fire conditions: Fluorinated hydrocarbons, Hydrogen fluoride, Carbon dioxide (CO2), Carbon

monoxide, hydrogen chloride gas, carbonyl fluoride

SECTION 11. TOXICOLOGICAL INFORMATION (non-mandatory)

Ace Power Flush APF (as packaged)

Sensitization: Did not cause sensitization on laboratory animals.

trans-Dichloroethylene

Inhalation 4 h LC50: 96.4 mg/l, rat, Target Organs: Central nervous system

Central nervous system depression

Dermal LD50: > 5,000 mg/kg, rabbit

Oral LD50: 2,122 mg/kg, Mouse, Target Organs: Central nervous system

Central nervous system depression

Skin irritation: Mild skin irritation, rabbit

Eye irritation: Irritation to eyes, reversing within 7 days, Rabbit

Repeated dose toxicity: Inhalation, Rat

No toxicologically significant effects were found

Oral - Rat

No toxicologically significant effects were found

Mutagenicity: Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not

show mutagenic effects.

Teratogenicity: Animal testing showed effects on embryo-fetal development at

levels equal to or above those causing maternal toxicity.

Further information: Cardiac sensitization threshold limit: 793047 mg/m3

Revision Date: 05/2015 Page 6 of 8

SECTION 11. TOXICOLOGICAL INFORMATION (continued)

1,1,1,2,2,3,4,5,5,5-Decafluoropentane

Inhalation 4 h LC50: 114 mg/l, rat, Central nervous system effects convulsions

Dermal LD50: > 5,000 mg/kg, Rabbit

Oral LD50: > 5,000 mg/kg, Rat

Skin irritation: No skin irritation, Rabbit

Eye irritation: No eye irritation, Rabbit

Repeated dose toxicity: Inhalation, Rat

No toxicologically significant effects were found

Mutagenicity: Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

Animal testing did not show any mutagenic effects.

Reproductive toxicity: No toxicity to reproduction.

Animal testing showed no reproductive toxicity.

Teratogenicity: Animal testing showed no developmental toxicity

Ethanol

Inhalation 4h LC50: 124.7 mg/l, Rat – vapour

Oral LD50 10,470 mg/kg, Rat – narcotic effects

Skin irritation: No skin irritation, Rabbit

Eye irritation: Eye irritation, Rabbit

Repeated dose toxicity: Oral, Rat - No toxicologically significant effects were found.

Inhalation, Rat – No toxicologically significant effects were found.

Carcinogenicity: Not classifiable as a human carcinogen. Overall weight of

evidence indicates that the substance is not carcinogenic.

Mutagenicity: Animal testing did not show any mutagenic effects. Testing on

bacterial or mammalian cell cultures did not show mutagenic

effects.

Reproductive toxicity: No toxicity to reproduction. Animal testing showed effects on

reproduction at levels equal to or above those causing parental

toxicity.

Teratogenicity: Animal testing showed effects on embryo-fetal development at

levels equal to or above those causing maternal toxicity.

<u>Carcinogenicity:</u> None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC,HTP, or OSHA as a carcinogen.

Revision Date: 05/2015 Page 7 of 8

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

trans-Dichloroethylene

Lepomis macrochirus (Bluegill sunfish) 74 mg/l 96 h LC50:

Pseudokirchneriella subcapitata (green algae) 798 mg/l 96 h EC50:

48 h LC50: Daphnia magna (Water flea) 79 mg/l

1,1,1,2,2,3,4,5,5,5-Decafluoropentane

96 h LC50: Oncorhynchus mykiss (rainbow trout) 13.9 mg/l 96 h LC50: Pimephales promelas (fathead minnow) 27.2 mg/l

96 h LC50: Danio rerio (zebra fish) 13 mg/l

Pseudokirchneriella subcapitata (green algae) >120 mg/l 72 h EC50:

48 h LC50: Daphnia magna (Water flea) 11.7 mg/l

21 d: NOEC Daphnia magna (Water flea) 1.72 mg/l

Ethanol

96 h EC50: Pseudokirchneriella subcapitata (green algae) 10,000 mg/l 96 ErC50: Pseudokirchneriella subcapitata (green algae) 675 mg/l

OECD Test Guideline 201

48 h EC50: Daphnia magna (Water flea) 5,012 mg/l NOEC Fish (unspecified species) 245 mg/l 30 d:

Environmental Fate

trans-Dichloroethylene

Biodegradability: Not biodegradable 8 % OECD Test Guideline 301D

1,1,1,2,2,3,4,5,5,5-Decafluoropentane

Biodegradability: Not readily biodegradable Bioaccumulation: Bioaccumulation is unlikely

SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal methods -Can be used after re-conditioning. If recycling is not practicable,

Product

dispose of in compliance with local regulations. The product should not

be allowed to enter drains, water courses or the soil.

If recycling is not practicable, dispose of in compliance with local regulations Contaminated packaging:

SECTION 14. TRANPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA: 1,1,1,2,2,3,4,5,5,5-DECAFLUOROPENTANE (CAS# 138495-42-8) is controlled by TSCA Section

5, Significant New Use Rule (SNUR; 40 CFR 721.5645) The approved uses are: precision and general cleaning, carrier fluid, displacement drying, printed circuit board cleaning, particulate removal and film cleaning, process medium, heat transfer fluid (dielectric and non-dielectric), and test fluid. Processors and users of this substance must also comply with the applicable general SNUR requirements set forth in 40 CFR 721 subpart A, including export notification requirements if applicable (40 CFR 721.20), and the applicable record keeping requirements

set forth at 40 CFR 721.125.

Revision Date: 05/2015 Page 8 of 8

SECTION 15. REGULATORY INFORMATION (continued)

SARA 313 Regulated Chemical(s): trans-Dichloroethylene

PA Right to Know Regulated Chemical(s):

Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): trans-Dichloroethylene, Ethanol

NJ Right to Know Regulated Chemical(s):

Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as mutagens or teratogens): trans-Dichloroethylene, Ethanol

CERCLA Reportable Quantity:

1,471 lbs

Based on the percentage composition of this chemical in the product: trans-Dichloroethylene

SECTION 16. OTHER INFORMATION SDS Preparation/Revision: May 2015

Manufacturer's Statement: The information contained in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Preparer shall not be liable for damages arising out of or in connection with the information obtained herein. No warranty of any kind is expressed or implied as to the accuracy, completeness or adequacy of the information obtained herein.